



Molés odrawnis y plasmedia mal. and flamachae. 1840

FROM
THE LIBRARY
OF
LLIAM OSLER

OF
SIR WILLIAM OSLER, BART
OXFORD

7/2






Such Car pellenin - attered calculat of ultimal cell Two collections yells als of from our vericles




pour Epelhel cer, uten Case. 41

Amoun grands are dant weeder wood

Pignert in a raculo - Same case hus toley. 20/3/85-1 much in blood . Um the said granter of the coursely - grander variety Thee cas . 5 "after modern 12) a classic gove 131 a willy married fortest hallows







u case of Pneumones. 6 th day 9/5-/85 (Si) It Lage cells with a withit

Brackston many entrate of me - means all in willer calls the ovad from deetly promeded with run as frack the red corpusales at the love part This is publif grammle + a crescent a desturd representing from our seep on the man nany index - cook in small centres - some yorkick last quile falled. wad from with regiment in their one billing like a segmenting from of very declared out him a promisent proposed at 9 10 with 7. 104.5 many segmenting forms 12/14 - Tout to the area. Horder with about all forms in their it as must atter the reseller forms in their

Logician

Son 9-10 spheres 3/23/50 In the pus washedy from abovers of liver or Bellehain. (This was the first case in which the aucada uns deservered in the liver alscers in america. see J1+H Bulblum

U

many clear wid a spheondal

cell in come with clear protopling cell from bladder with globular bookies hissily myrlin drops

March 24.90 23/m. to 12 2 min abter12

Lanternahdes made of this hop, bott sides, NOV. 1950









Fig 2. Lection through the appearment portion of the lunion.










tralpert of 54. petchell in 22 and - felt bound in 200%. 1/29. app chia at 430 To 98.3. University prejudented into a catacoll forms, so also municious sere prejudent. introck forms . Scoret sequent forms were, town will carpant to Ken. 9 P. Un. Munison e who sinhe call, for our, also become flydlate todier. 124. 10 a M. T- wormed some as above, and segment los. Louis flyellate org. 2.30 P. M. beginning of chia - endequent forms. Togg. 3.20 P.M. Cashed 3/4 hr - segment form an. 4.30 P.M. request todie still teen. Temp. rose 15 105. 146 P.M. I little. For flyellate formes deen, a would as above. 1/25. - 9 a.M. Dane as previous in morning. Chile at 410 1. 14, 22415 T= 97. Chile Costed 50 news. T= 102° at 5 P.M. Regeneur forms in seved . res. Lorge piger suched inhault forms found with red corp. prochally consumed the flyellate forms.

AV. June Kolan cal. 40 Ill for yeard ful 4 wells quoledian had higher coldie - blid nace - & with ceremona intestinates The we per troz Pegenendat en + 2 tra, cellular, no crescento . 14a hara

Carexiii 9 hed . 2 Ill three well. 9. 25% 21.12. non som som & frequentiall from, and bode, & chemis. 3:15° chill. 7:050. Legenerating bodies found. 83.0. Pin. . Crescents . tred bedie, many with well as persons XIV. P. Weberts . ich all me work engitar elits force. "The pregented entract theter from"

Chill very other day fair regulant wow every day. Is fele . Epleen reaches 4 fours wealth below world hach. chill at 11.30 am. T. now normal. a few intracellular forms, some pignerled & configurale rey few autant. 18th chill lodge at 12. an Tat. 8.98° new at chill 990 Blood autours no segmenting from in this shells carefully searched. Many intracell for , pig a unpremented. May for in field.

Case & Shedity, at. 1 adralled Seft. 10. Red. 21. Od. 3 weeks writing Sp. pont. Began chillwery other day has laten no med. . Patr sallow abollage. Spleen lags Blood. Many large Endoglot forms with prement; none wakes, Hazella. pre tuos seen. Case XI Jul. Kusen. bed. 5. al 38. Ill ne wak (Spanno Pt) timed gaide a weekag. hor of terhan - Eve chill at 1220 in des. Ton adm. 102% submiell. 8.30 T. 990, Very seg few in blood judy one is liver. 18. face 972, non 96.8, blood the our . 11. practically may



Nota Bene. although patient in Best 5. buyer with to have had his chill linkie tomorrow, he had one this afternoon about 415 P.M. lasting trily & few win. In the blood during & immeting after porosymum us segmenting forms the found, but the would introvell progressed forms as sell as pigmented June extrell, out we quite untrono -Suman


of a royage. Oh Salunday, the 6th. chill it is are 1/2 hors dissetters hubiterest thele since says sevent he ray seach day, sence hutted ill yellow-sallow trut popler . Tongue neach fund, what Pulse 108. T. 95°. He was a he was of appelle. In wish an for 3 days The permented but in a corpressele. - regress very brown red. strong well preserved.
The form has been seen by me often in these several (many of these 72 H. T horned of 8. beet, beller, many culta-cule form, some with small rapidly dancing particles of horn-organiz higner 13. Very pew intracell forms. - all imposinched Exam when 1 104.3. 14. Intracell peginetis, 14 Many pubracell from 16. Has latter gro 2. to dale.

P.m. Thatanal splem (soft / x direr. Barin care Villey) Ridneys W cevelling & stories standar change in which often lated was few live cast an seen beg wille ful a glovery full; no special protegration of special or laft . (3) glovery Regenear ia in the listales chaffy a yellow town granta from the here a day black ranely - (b) must about which will allow the coster - complete the interfallation the coster - complete arranged in grants of scallered black grants in the glomerati. 2 diver their pegment yten forders (a) the gillow empula Should ar from much the liverall, and the black pry ment graves which are chiefly about the capillane bellion ". the perpley of the lobate about the pertitional but at the first and the pertitional total duple. I splear hum no of perment fremels chief, and many per, in any ar laye cell, since of the red blood expusion were with promewled organism

Dearla of Ernos. ang. 31 st. paris in head. Menday chilly pediage in afternoon, fever went bled & remained no other chills, led pener were every determined vorsing appetite. These bledding on 1th. Complaines of great weather, it as tad longher dolls it sun admired diagnorer of replaced was incle a valle of them. To an admirer . Tought fure de dels pole is ratural 208 pole adjust pole in patralpable when in deep inspiration. enesant infilested. "Cumous form dech perment short with race de like bridge C dh 2 odd word pring. 11tt. Many rules all. from possented former very about and * ohomaabut it districtly unterly present suched. and from almost a correct - wideally the libe is the remains. Tout mee normal; fr faul 24 has fre 99.2 & 101 May exerced. Lumb gov. dil Cres . much from suggest of preflagellale. goes out loday annih weller Stell u per everants. Harluker grans j 2 date

Carello R des Ine ru Burns at 30. on came from Jav. where he hed been all band rock. On Juney 6th, seazed with vime ting & Keplupal Boundy & . Rochello, but. the above into depressed - pute fully alle a roan in 8.10 as in mil a pregnessed, but however a gregor but regenent is each scalled but is an a civila 10 1t Pm. T. red slow an ances of sear curpy from many obvious must active changes. The raciola like foches with solid - spine little glastering april numerous. , a hale shell allached to it a huninger we transluced body will pigment arranged a at. a gleslung. Had a very but night vormeling all time very depressed the are. There from not weerman as in case very preparent T. rose this afternoon to ? . felt better .. visualing has exaced. Blood contains many, intracellular to die T. Kan. Many whitell four very active, ordered L. go vial 12 1412 Staterday, depresentablely, gent order Luce go todal Today very per in dood. Belle. day restless, not above at 980 Dred at 7.30

Il for alm & day, no defrite chill. Hermy out malan To remark totand ento endoget form no inquests 9th. T. 102/ no chill . intracell. from. 17. Beene gov. l. 1 True of goon to 10 4.6. no chill. movesments 12 14 True t 101 at 80m. her had 25 8m/2 to de 16 goes at lody Hust Men gro, a lidele. so formes seen here found or. Ohlbetter. Deep. was in Hespital . chr. Br with don't Land year. Lestion. Eball due at 1. Blood years at chills for a weet. Lestion . Eball due at 1. Blood years at 4. chall had and occased. Many subswell forms. 2. segmenting



8th. I fell to normal last Eve. rue a ain, without a chill, This am. 940. och 11.30 To normal. many entracted for severally like from the formal and the colls not some affection and the many resimilarly values as the chill began at 12.45 from avail stages of for bodic recovering second growth. hegened in the the pord growther. 9. th. 7.98 , 800 . Lenine at same nochilled usual kon Talizzo normal. In roce no chell let chell, A4. Dra. x T. at 6. per 1030. In m. alazo, a cegmenting from Intracell non-x permented. 1014 a few seen no fever ped well 12 It. none to be found. Lumme go todale

form, the chill should begin som of 9 dgi was right. I sent who care IV Bed III. . 10 clement we de the shell yand cupunte, the Schooling of the segments we relative to the central highest is according followed. There is no transfit. I would devision as 9. has to closer to the margin 30 a perfect melte, just as radially arranged 9 offen sulling per muche the cater shell served to desapper and the todies welend of a cubical cubbine had all a mid 1240 changed remarkably 12 45 almost pentive that in tion or Clerce 1/to frerene go small floghtan wheat in or sum I her thought also abill stopped at 11.45 T. new 103° . Many so great prome in all stages - the form too . serve a server aled with indistrate remnant of red to cook udef no near figment 15 order spheres (this stape * 14 in another Specimen . -The heen up all Pin. now is 103. 3. led he has fell 10 Pm well - Many intracell ledis There or Knowled beginneld brother would by a dear from the there or Knowled or remains to give shell of a certification of the the shell of a certification of the the shell of a certification of the shell of the shell of a certification of the shell of

nicholo 24. Stellon 2013 weeks - chill, a wak yo has them daily at 11 Shotles 3 hrs. Here 2/1 - 3 hrs. Hen cough a sweet . 2. Pm. all intracellular no seg seen in fra free 5:50 Practically the same . Leaving to seen harteally subscary firms, small, dubly pregmented. a paracite list gave it up 5.3. moved away from 1-9. Pm. Many intraded as - of all eigers, some filling the corporates constituted. fletily. to several corporales the par seemed to contained coled muchan To 10 am oxomed no chill her fever the right. Stade at 1155 chilles.

Two sey distinct regmenting bodies we with 10 or 11. who
with 7. opposit. They will large them owned the warm
had one raws made of 6 . a grayesh knows for firstlyth.

In a district swelspe. He rement


ye med to cul

2. a vacado lille of a. 3 a 201 ed bride, enculerers


Spleen. Blood w many sudverspressed from all permentiffing, a laye complete permented, push within shell of corpusals orb) segmenting forms. all have telle dot in the segment. no regimenting forms 3) ' Eve. T. doron 97° Swested propuly the p. 2n. zam many o at 2 "Thell searcely visible darly presented form weeds 4th. T. normal, crip of herpes talls well well moseymenting from a change as it as 10. Pra very peror to be even (6) as fewdored a a granular plew - perselle the remained of a red oo cost . It is very granular destandly permented & has in it is incurate with a extention which changed in shape change to an oved brody, with in a large. I accuse only your arth large rudo global as forms are not feller the all To normal-un an 10 am 99. wh 11.15 a shifted chill. Fet true for Mness, not a heavy one. T. at 11.105'5tery see, all who cost so request very wich same state or last night - not Trans down own, at 5.50 pm. normal. Blood shows many large whreall forms whench follows the confuncte. In o segments-I normal. Many entracelle me resement: order 2. gov. reldered. Here muy colored shows a chart of a - he blee ment. ne organism

6 H. Fm. T. Germal. Many crements 19 16. Plus 1 98 2 . Hugellale bodies freeplythe one with two 1 3 prophagello w mand field dean 3-4nd Crese very directant. Inne muded proflogelle for 11 14. On guine grains todale. This eve. many crescul-many Hagellale bother in Each shile. " over pring about and in playette formere 12.am crescult about and in playette formere unpeginented active trolies. 4 plagette form un 70 gn ga todale. & sounded bother accom to be come more grander. The overs and also fle phase 13.14 . 2080 12 at 10 last ives . Aled thous many crescents, very personal other bales which were is abundant last eve. 14 Crescut wy a reduced in no,


He assured that a not many of them - one is two sausego forther - no andar 3 rd. Crescents more abundant less suce- hunar a shape a few of the vacuale like wither will sited neutri aupremented figuraled today trois up again the pour to 1000, no chill 4th. no fever, crescents & word forms. a form with Knot little projection goute himsogeness This remained practically the James for 6-8 hours 18 Pm. T. 102's. . hot each marked exercent wills longer than the width of a red oc. They ceem more strend and longth. 10 - lag forentrave at end () - one as of allacked to or in a partially characted red created red -5 th. 7 normal 99.2 all creaced no out form is an agen song abundant of manne marger works like one in the interior of a pale, small no 6th. T. would much improved. . Many crescent - a few and + time down on of a from outer shell, a bettle knot.
come introduce observation the anger of a styre,
another to the are the place in the territion who
the proposed it and in total in the territion who
deaves. The outer branches and deaves, the outer branches and




While cerpusales very numerous. May county grantage and my adve. Many small round from will circular mucher and a narrow our of probobleson The plagues are rumenus, ovors, a/s or as ling as a red curpule some distinctly club shiper & the sund curved.




8/6/87 Echines ramora - y shark regative. 8/10/87. Large carp.
Blood-plales Washe in a planner of film with much





. negative














#7666,x-

Negativis y the Amorla dinories on Coap IL, victor verso, from which contin state was much for Dr q K hypochinic, Nov. 1950. W. L. F

Osler MS. 7666, x.leaf 11. front & back: Amoeba from liver, sketch -ed at intervals, 11.54-12.30 at J.H. Hosp. 24 Mar., 1890.







McGILL UNIVERSITY MONTREAL 2

This page was photographed for Dr. P. Edwards who presented a paper on "Malignant Tertian Malaria" before the Med. Chi.meeting, Feb. 18th, 1955.

The galaxy jeer in And Miller.

18 may feel seem less advers 18 t T subsermed. 16th Badall
day subless, not above at 95°.

Decol at 7.30

Case VIII. best 246) - Tamelanaa (Russ, cel 25. availed). 10th.

Chen Russia & Rus been unoplainty of leatening last, 10th.

Bearlas of Ennas, comy 310th planeaus hard. Markey hely fully
maghering forces wised black resembled, no should had had been
tanth. Complement of grad weedlines, who had langely to the following the selection of the following the

· a mende with space with a world broky projecting who it - who looks of some molerida brokens.

Many new presented broker, coexcerts also

and word prins

18th Many who will , won primariled grows very christians

stromathat it distrally water proment pulid.

and promoderable exercent - wideally the letter secureant. The confunction of the confunction.

12. T. cuty once normal it faul 24 his pa 99.2 6 101 Many concent . Lume 900. 412.

13. cresculo notes abotens

14 cres . much from oursel of proflagellale.

11 gos out loday arouch weller Still a gar crescul-